

**TEMPORARY  
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office APR 13 2005

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed FEB 24 2005 under 72010

\*\*\*\*\*

The applicant **Albert Pete and Frank Joseph Delmue**, hereby make application for permission to change the **Point of diversion of a portion of water** heretofore appropriated under **Permit 19119 Cert. 6609**

\*\*\*\*\*

1. The source of water is **underground**
2. The amount of water to be changed **1.225 c.f.s.**
3. The water to be used for **irrigation**
4. The water heretofore permitted for **irrigation**
5. The water is to be diverted at the following point in the **NE¼ SE¼ Section 18, T2S, R68E., MDM at a point from which the SW corner of said Section 18 bears S 37° 43' 17" E 1895.53'.**
6. The existing permitted point of diversion is located within the **SW¼ SW¼ Section 8, T2S, R68E MDM at a point from which the southeast corner of said section 8 bears S 70° 05' W 581.0'.**
7. Proposed place of use **No change in place of use. It is the same as item 8 below (see supporting map for Permit (19119)**
8. Existing place of use **27.90 ac in the NE¼ NE¼, 39.50 ac. in the SE¼ NE¼, 7.6 ac. in the SW¼ NE¼, 38.00 ac. in the NE¼ SE¼, 23.5 ac in the NW¼ SE¼, and 18.50 ac. in the SW¼ SE¼, all in Section 18, and T.2S., R.68.E., MDM**
9. Use will be from **Jan 1 to Dec 31** of each year.
10. Use was permitted from **Jan 1 to Dec 31** of each year.
11. Description of proposed works **Drill Well, install pump & motor, install pivot irrig system.**
12. Estimated cost of works **40,000**
13. Estimated time required to construct works **3 yrs**
14. Estimated time required to complete the application of water to beneficial use **4 years**
15. Remarks: **(Letter enclosed) Requesting Temporary Permit for this point of diversion change. An application (#72010 and 72011) are being processed, however timing is critical to this year's crops. If it is possible we would like to hurry this along via this Temp. permit.**

By **Lenard D. Smith PLS (Agent**  
s/ **Lenard D. Smith**  
**PO Box 443**  
**Caliente, Nevada 89008**

AGENT  
WITHDRAWN BY ~~AGENT~~ MAY 23 2005

Compared aem/sam \_\_\_\_\_

Protested \_\_\_\_\_

*James P. E.*

STATE ENGINEER  
*eam*

72604T

\*\*\*\*\*